

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	(709/223.ccls.) and @py<"2000" and probe and (server with cluster\$3)	US-PGPUB; USPAT	OR	ON	2004/11/27 14:01
S2	1	(709/223.ccls. or 709/224.ccls.) and @py<"2000" and probe and (server with cluster\$3)	US-PGPUB; USPAT	OR	ON	2004/04/02 13:06
S3	10	(709/223.ccls. or 709/224.ccls.) and @py<"2000" and (server with cluster\$3)	US-PGPUB; USPAT	OR	ON	2004/04/02 13:06
S4	7	(709/223.ccls. or 709/224.ccls.) and @py<"2000" and (server with cluster\$3) and ((os or "operating system") and network and hardware and (program or application or software))	US-PGPUB; USPAT	OR	ON	2004/04/02 13:08
S5	677	(709/223.ccls. or 709/224.ccls.) and @py<"2000"	US-PGPUB; USPAT	OR	ON	2004/04/02 13:08
S6	35	(709/223.ccls. or 709/224.ccls.) and @py<"2000" and probe	US-PGPUB; USPAT	OR	ON	2004/04/02 13:08
S7	2	(709/223.ccls. or 709/224.ccls.) and @py<"2000" and probe and cluster	US-PGPUB; USPAT	OR	ON	2004/04/02 13:36
S8	0	"709".clas. and @py<"2000" and probe and (server with cluster)	US-PGPUB; USPAT	OR	ON	2004/04/02 13:38
S9	5499	"709".clas. and @py<"2000"	US-PGPUB; USPAT	OR	ON	2004/04/02 13:38
S10	2896	"709".clas. and @py<"2000" and prob\$3	US-PGPUB; USPAT	OR	ON	2004/04/02 13:38
S11	27	"709".clas. and @py<"2000" and prob\$3 and (server with cluster)	US-PGPUB; USPAT	OR	ON	2004/04/02 13:38
S12	17	"709".clas. and @py<"2000" and prob\$3 and (server with cluster) and ((os or "operating system") and (application or app or apps or program) and network and hardware)	US-PGPUB; USPAT	OR	ON	2004/04/02 14:09
S13	5951	"709".clas. and @py<"2000" (network with monitor\$3) and (server with cluster) and ((os or "operating system") and (application or app or apps or program) and network and hardware)	US-PGPUB; USPAT	OR	ON	2004/04/02 14:11

S14	5728	"709".clas. and @py<"2000" (network with monitor\$3) and (server adj2 cluster) and ((os or "operating system") and (application or app or apps or program) and network and hardware)	US-PGPUB; USPAT	OR	ON	2004/04/02 14:11
S15	5600	"709".clas. and @py<"2000" (network with monitor\$3) and (server with cluster) and ((os or "operating system") and (application or app or apps or program) and network and hardware) and xml	US-PGPUB; USPAT	OR	ON	2004/04/02 14:13
S16	0	709/223,224.ccls. and @py<"2000" and (server with cluster) and ((os or "operating system") and (application or app or apps or program) and network and hardware) and xml	US-PGPUB; USPAT	OR	ON	2004/04/02 14:13
S17	0	"709".clas. and @py<"2000" and (network with monitor\$3) and (server with cluster) and ((os or "operating system") and (application or app or apps or program) and network and hardware) and xml	US-PGPUB; USPAT	OR	ON	2004/04/02 14:13
S18	6	"709".clas. and @py<"2000" and (network with monitor\$3) and (server with cluster) and ((os or "operating system") and (application or app or apps or program) and network and hardware)	US-PGPUB; USPAT	OR	ON	2004/04/02 14:20
S19	4	709/223,224.ccls. and @py<"2000" and (server with cluster) and ((os or "operating system") and (application or app or apps or program) and network and hardware)	US-PGPUB; USPAT	OR	ON	2004/04/02 14:46
S20	0	709/223,224.ccls. and @py<"2000" and (server with cluster) and ((os or "operating system") same (application or app or apps or program) same network same hardware)	US-PGPUB; USPAT	OR	ON	2004/04/02 14:36
S21	5	709/223,224.ccls. and @py<"2000" and (server with cluster) and hardware	US-PGPUB; USPAT	OR	ON	2004/11/22 19:39
S22	73	709/223,224.ccls. and @ay<"2000" and (server with cluster) and hardware	US-PGPUB; USPAT	OR	ON	2004/11/22 19:39

S23	0	709/223,224.ccls. and @ay<"2000" and (server with cluster) and hardware and (combin\$5 with prob\$4) and xml	US-PGPUB; USPAT	OR	ON	2004/11/22 19:42
S24	0	709/223,224.ccls. and @ay<"2000" and (server with cluster) and hardware and probe and xml	US-PGPUB; USPAT	OR	ON	2004/11/22 19:43
S25	4	709/223,224.ccls. and @ay<"2000" and (server with cluster) and hardware and probe	US-PGPUB; USPAT	OR	ON	2004/11/22 19:43
S26	4	709/223,224.ccls. and @ay<"2000" and (server with cluster) and hardware and probe and level	US-PGPUB; USPAT	OR	ON	2004/11/22 19:44
S27	4	709/223,224.ccls. and @ay<"2000" and (server with cluster) and hardware and probe and levels	US-PGPUB; USPAT	OR	ON	2004/11/22 19:44
S28	4	709/223,224.ccls. and @ay<"2000" and (server with cluster) and hardware and probe and levels not (IBM or "international business machines").as.	US-PGPUB; USPAT	OR	ON	2004/11/22 19:44
S29	20	(709/223,224.ccls.) and @ay<"2000" and ((probe or agent or tracker or sniffer or snoop) with (level or component or section or part or portion)) and (server with cluster\$3)	US-PGPUB; USPAT	OR	ON	2004/11/23 21:04
S30	4	(709/223,224.ccls.) and @ay<"2000" and ((probe or agent or tracker or sniffer or snoop) with (level)) and (server with cluster\$3)	US-PGPUB; USPAT	OR	ON	2004/11/23 21:05
S31	4	(709/223,224.ccls.) and @ay<"2000" and ((probe or agent or tracker or sniffer or snoop) with (level)) and (server with cluster\$3) not (IBM or "International Business Machines").as.	US-PGPUB; USPAT	OR	ON	2004/11/23 21:07

S32	0	(709/223,224.ccls.) and @ay<"2000" and ((probe or tracker or sniffer or snooper) with (one or single or multiple or plurality or number or various or each) with (level or dimension or os or "operating system" or OSI or application or software or hardware)) and (server with cluster\$3) not (IBM or "International Business Machines").as.	US-PGPUB; USPAT	OR	ON	2004/11/24 15:29
S33	23	(709/223,224.ccls.) and @ay<"2000" and ((probe or tracker or sniffer or snooper) with (one or single or multiple or plurality or number or various or each) with (level or dimension or os or "operating system" or OSI or application or software or hardware)) not (IBM or "International Business Machines").as.	US-PGPUB; USPAT	OR	ON	2004/11/24 15:43
S34	5	(709/223,224.ccls.) and @ay<"2000" and ((light or lightweight or small or tiny or quick or weightless or nimble or agile or graceful) with (probes)) not (IBM or "International Business Machines").as.	US-PGPUB; USPAT	OR	ON	2004/11/24 17:49
S35	1	(709/223,224.ccls.) and @ay<"2000" and ((sniffer or probe) with (software or application or program) with (hardware) with (network) with (information or data or characteristic or trait)) not (IBM or "International Business Machines").as.	US-PGPUB; USPAT	OR	ON	2004/11/24 18:48
S36	0	(709/223,224.ccls.) and @ay<"2000" and ((software or application or program) with (hardware) with (network) with (layer or level) with (information or data or characteristic or trait) with (GUI or graphical)) not (IBM or "International Business Machines").as.	US-PGPUB; USPAT	OR	ON	2004/11/24 18:49

S37	0	(709/223,224.ccls.) and @ay<"2000" and ((software or application or program) with (hardware) with (network) with (layer or level) with (information or data or characteristic or trait) with (GUI or graphical or "graphical user interface")) not (IBM or "International Business Machines").as.	US-PGPUB; USPAT	OR	ON	2004/11/24 18:50
S38	1	(709/223,224.ccls.) and @ay<"2000" and ((software or application or program) with (hardware) with (network) with (information or data or characteristic or trait) with (GUI or graphical or "graphical user interface")) not (IBM or "International Business Machines").as.	US-PGPUB; USPAT	OR	ON	2004/11/24 19:02
S39	0	(709/223,224.ccls.) and @ay<"2000" and ((software or application or program) with (hardware) with (network) with (layer or level) with (GUI or graphical or "graphical user interface")) not (IBM or "International Business Machines").as.	US-PGPUB; USPAT	OR	ON	2004/11/24 18:50
S40	381	(709/223,224.ccls.) and @ay<"2000" and ((information or data or characteristic or trait) with (GUI or graphical or "graphical user interface")) not (IBM or "International Business Machines").as.	US-PGPUB; USPAT	OR	ON	2004/11/24 19:02
S41	6	(709/223,224.ccls.) and @ay<"2000" and ((software or application or program) with (hardware) with (network) with (information or data or characteristic or trait) with (GUI or graphical or "graphical user interface" or view or display)) not (IBM or "International Business Machines").as.	US-PGPUB; USPAT	OR	ON	2004/11/24 19:04
S42	207	(709/223,224.ccls.) and @ay<"2000" and (client with (information or data or characteristic or trait) with (GUI or graphical or "graphical user interface" or view or display)) not (IBM or "International Business Machines").as.	US-PGPUB; USPAT	OR	ON	2004/11/24 19:06

S43	24	(709/223,224.ccls.) and @ay<"2000" and (client with (information or data or characteristic or trait) with (GUI or graphical or "graphical user interface" or view or display)) and probe not (IBM or "International Business Machines").as.	US-PGPUB; USPAT	OR	ON	2004/11/24 19:26
S44	0	(709/223,224.ccls.) and @ay<"2000" and (client with (information or data or characteristic or trait) with (GUI or graphical or "graphical user interface" or view or display)) and ((small or light or lightweight or weightless) with probe) not (IBM or "International Business Machines").as.	US-PGPUB; USPAT	OR	ON	2004/11/24 19:07
S45	136	(709/223,224.ccls.) and @ay<"2000" and (client with (information or data or characteristic or trait) with (GUI or graphical or "graphical user interface" or view or display)) and ((combin\$5 or unit\$4 or join\$4 or merg\$4) with (report or data or information)) not (IBM or "International Business Machines").as.	US-PGPUB; USPAT	OR	ON	2004/11/24 19:09
S46	136	(709/223,224.ccls.) and @ay<"2000" and (client with (information or data or characteristic or trait) with (GUI or graphical or "graphical user interface" or view or display)) and ((combin\$5 or unit\$4 or join\$4 or merg\$4) with (report or data or information)) not (IBM or "International Business Machines").as.	US-PGPUB; USPAT	OR	ON	2004/11/24 19:11
S47	20	((combin\$5 or unit\$4 or join\$4 or merg\$4) with (report or data or information)) and S43	US-PGPUB; USPAT	OR	ON	2004/11/24 19:11
S48	59	(709/223,224.ccls.) and @ay<"2000" and (GUI or graphical or "graphical user interface") and probe not (IBM or "International Business Machines").as.	US-PGPUB; USPAT	OR	ON	2004/11/24 19:27

S49	52	(709/223,224.ccls.) and @ay<"2000" and (GUI or graphical or "graphical user interface") and (client with (information or data or report) with (combin\$4 or attach\$4 or unit\$4 or join\$4 or merg\$4)) not (IBM or "International Business Machines").as.	US-PGPUB; USPAT	OR	ON	2004/11/24 19:28
S50	52	(709/223,224.ccls.) and @ay<"2000" and (GUI or graphical or "graphical user interface") and (client with (information or data or report) with (combin\$4 or attach\$4 or unit\$4 or join\$4 or merg\$4)) and ((view\$4 or display\$4 or illustrat\$4) with (device or node or client or element or component or trait or characteristic or information)) not (IBM or "International Business Machines").as.	US-PGPUB; USPAT	OR	ON	2004/11/24 19:30
S51	52	(709/223,224.ccls.) and @ay<"2000" and (GUI or graphical or "graphical user interface") and (client with (information or data or report) with (combin\$4 or attach\$4 or unit\$4 or join\$4 or merg\$4)) and ((view\$4 or display\$4 or illustrat\$4) with (device or node or client or element or component)) not (IBM or "International Business Machines").as.	US-PGPUB; USPAT	OR	ON	2004/11/24 19:30
S52	48	(709/223,224.ccls.) and @ay<"2000" and (GUI or graphical or "graphical user interface") and (client with (information or data or report) with (combin\$4 or attach\$4 or unit\$4 or join\$4 or merg\$4)) and ((view\$4 or display\$4 or illustrat\$4) with (device or node or client)) not (IBM or "International Business Machines").as.	US-PGPUB; USPAT	OR	ON	2004/11/24 19:30

S53	44	(709/223,224.ccls.) and @ay<"2000" and (GUI or graphical or "graphical user interface") and (client with (information or data or report) with (combin\$4 or attach\$4 or unit\$4 or join\$4 or merg\$4)) and ((view\$4 or display\$4 or graph\$4) with (device or node or client)) not (IBM or "International Business Machines").as.	US-PGPUB; USPAT	OR	ON	2004/11/24 19:31
S54	19	(709/223,224.ccls.) and @ay<"2000" and (GUI or graphical or "graphical user interface") and (client with (information or data or report) with (combin\$4 or attach\$4 or unit\$4 or join\$4 or merg\$4)) and ((view\$4 or display\$4 or graph\$4) with (device or node or client)) and topology not (IBM or "International Business Machines").as.	US-PGPUB; USPAT	OR	ON	2004/11/24 19:31
S55	29	(709/223,224.ccls.) and @ay<"2000" and (GUI or graphical or "graphical user interface") and (client with (information or data or report) with (combin\$4 or attach\$4 or unit\$4 or join\$4 or merg\$4)) and ((view\$4 or display\$4 or graph\$4) with (device or node or client)) and (topology or hierarch\$7) not (IBM or "International Business Machines").as.	US-PGPUB; USPAT	OR	ON	2004/11/24 19:38
S56	6	(709/223,224.ccls.) and @ay<"2000" and (GUI or graphical or "graphical user interface") and (compil\$4 with report) not (IBM or "International Business Machines").as.	US-PGPUB; USPAT	OR	ON	2004/11/24 19:42
S57	7	(709/223,224.ccls.) and @ay<"2000" and (GUI or graphical or "graphical user interface") and (combin\$4 with report) not (IBM or "International Business Machines").as.	US-PGPUB; USPAT	OR	ON	2004/11/24 19:52

S58	19	(709/223,224.ccls.) and @ay<"2000" and xml and (GUI or graphical or "graphical user interface") and ((compil\$4 or unit\$4 or join\$4 or merg\$4 or attach\$4 combin\$4) with (data or information or report)) not (IBM or "International Business Machines").as.	US-PGPUB; USPAT	OR	ON	2004/11/24 19:55
S59	17	(709/223,224.ccls.) and @ay<"2000" and xml and (GUI or graphical or "graphical user interface") and ((compil\$4 or unit\$4 or join\$4 or merg\$4 or combin\$4 not unit) with (data or information or report)) not (IBM or "International Business Machines").as.	US-PGPUB; USPAT	OR	ON	2004/11/24 19:55
S60	17	(709/223,224.ccls.) and @ay<"2000" and xml and (GUI or graphical or "graphical user interface") and ((compil\$4 or unit\$4 or join\$4 or merg\$4 or combin\$4 not units) with (data or information or report)) not (IBM or "International Business Machines").as.	US-PGPUB; USPAT	OR	ON	2004/11/24 19:56
S61	15	(709/223,224.ccls.) and @ay<"2000" and xml and (GUI or graphical or "graphical user interface") and ((compil\$4 or unite or uniting or join\$4 or merg\$4 or combin\$4) with (data or information or report)) not (IBM or "International Business Machines").as.	US-PGPUB; USPAT	OR	ON	2004/11/24 20:11
S62	1	(709/223,224.ccls.) and @ay<"2000" and xml and "network management" and ((compil\$4 or unite or uniting or join\$4 or merg\$4 or combin\$4) with (data or information or report)) not (IBM or "International Business Machines").as.	US-PGPUB; USPAT	OR	ON	2004/11/24 20:13
S63	6	(709/223,224.ccls.) and @ay<"2000" and xml and ("network management" or "network monitoring") and ((compil\$4 or unite or uniting or join\$4 or merg\$4 or combin\$4) with (data or information or report)) not (IBM or "International Business Machines").as.	US-PGPUB; USPAT	OR	ON	2004/11/26 17:33

S64	13	(709/223,224.ccls.) and @ay<"2000" and xml and ("network management" or "network monitoring") not (IBM or "International Business Machines").as.	US-PGPUB; USPAT	OR	ON	2004/11/26 17:36
S65	833	(709/223,224.ccls.) and @ay<"2000" and ("network management" or "network monitoring") not (IBM or "International Business Machines").as.	US-PGPUB; USPAT	OR	ON	2004/11/26 17:36
S66	13	(709/223,224.ccls.) and @ay<"2000" and ("network management" or "network monitoring") and xml not (IBM or "International Business Machines").as.	US-PGPUB; USPAT	OR	ON	2004/11/26 19:29
S67	17	(709/223,224.ccls.) and @ay<"2000" and ("network management" or "network monitoring") and ((numerous or plurality or various or many or multitude or "number of") with (probe)) not (IBM or "International Business Machines").as.	US-PGPUB; USPAT	OR	ON	2004/11/26 20:26
S68	1112	(709/223,224.ccls.) and @ay<"2000" and (network adj manage\$7) or (network adj monitor\$7) and ((numerous or plurality or various or many or multitude or "number of") with (probe)) not (IBM or "International Business Machines").as.	US-PGPUB; USPAT	OR	ON	2004/11/26 20:27
S69	1042	(709/223,224.ccls.) and @ay<"2000" and (network adj manage\$7) or (network adj monitor\$7) and ((numerous or plurality or various or many or multitude or "number of") with (probe)) and xml not (IBM or "International Business Machines").as.	US-PGPUB; USPAT	OR	ON	2004/11/26 20:27
S70	1042	(709/223,224.ccls.) and @ay<"2000" and (network adj manage\$7) or (network adj monitor\$7) and ((numerous or plurality or many or multitude or "number of") with (probe)) and xml not (IBM or "International Business Machines").as.	US-PGPUB; USPAT	OR	ON	2004/11/26 20:27

S71	1042	(709/223,224.ccls.) and @ay<"2000" and (network adj manage\$7) or (network adj monitor\$7) and ((numerous or plurality or many or multitude or "number of") with ("probes")) and xml not (IBM or "International Business Machines").as.	US-PGPUB; USPAT	OR	ON	2004/11/26 20:29
S72	942	(709/223,224.ccls.) and @ay<"2000" and (network adj manage\$7) or (network adj monitor\$7) and ((numerous or plurality or many or multitude or "number of") with ("probes")) and (probes with (small or light\$7 or weightless)) and xml not (IBM or "International Business Machines").as.	US-PGPUB; USPAT	OR	ON	2004/11/26 20:30
S73	942	(709/223,224.ccls.) and @ay<"2000" and (network adj manage\$7) or (network adj monitor\$7) and ((numerous or plurality or many or multitude or "number of") with ("probes")) with (small or light\$7 or weightless)) and xml not (IBM or "International Business Machines").as.	US-PGPUB; USPAT	OR	ON	2004/11/26 20:31
S74	942	(709/223,224.ccls.) and @ay<"2000" and (network adj manage\$7) or (network adj monitor\$7) and ((numerous or plurality or many or multitude or "number of") with ("probes")) with (small or light\$7 or weightless)) and (probes (monitor\$7 or collect\$7 or stor\$7 or sav\$7 or retriev\$7 or obtain\$7 or get\$7 or poll\$7) with (level or layer)) and xml not (IBM or "International Business Machines").as.	US-PGPUB; USPAT	OR	ON	2004/11/26 20:33
S75	942	(709/223,224.ccls.) and @ay<"2000" and (network adj manage\$7) or (network adj monitor\$7) and ((numerous or plurality or many or multitude or "number of") with ("probes")) with (small or light\$7 or weightless)) and (probes (monitor\$7 or collect\$7 or retriev\$7 or obtain\$7 or get\$7 or poll\$7) with (level or layer)) and xml not (IBM or "International Business Machines").as.	US-PGPUB; USPAT	OR	ON	2004/11/26 20:33

S76	942	(709/223,224.ccls.) and @ay<"2000" and (network adj manage\$7) or (network adj monitor\$7) and ((numerous or plurality or many or multitude or "number of") with ("probes") with (small or light\$7 or weightless)) and (probes (monitor\$7 or collect\$7 or retriev\$7 or obtain\$7 or get\$7 or poll\$7) with (level or layer)) and navy and xml not (IBM or "International Business Machines").as.	US-PGPUB; USPAT	OR	ON	2004/11/26 20:34
S77	942	(709/223,224.ccls.) and @ay<"2000" and (network adj manage\$7) or (network adj monitor\$7) and ((numerous or plurality or many or multitude or "number of") with ("probes") with (small or light\$7 or weightless)) and (probes (monitor\$7 or collect\$7 or retriev\$7 or obtain\$7 or get\$7 or poll\$7) with (level or layer)) and "navy" and xml not (IBM or "International Business Machines").as.	US-PGPUB; USPAT	OR	ON	2004/11/26 20:34
S78	942	(709/223,224.ccls.) and @ay<"2000" and (network adj manage\$7) or (network adj monitor\$7) and ((numerous or plurality or many or multitude or "number of") with ("probes") with (small or light\$7 or weightless)) and (probes (monitor\$7 or collect\$7 or retriev\$7 or obtain\$7 or get\$7 or poll\$7) with (level or layer)) and xml not (IBM or "International Business Machines").as.	US-PGPUB; USPAT	OR	ON	2004/11/26 20:50
S79	942	(709/223,224.ccls.) and @ay<"2000" and (network adj manage\$7) or (network adj monitor\$7) and ((numerous or plurality or many or multitude or "number of") with ("probes") with (small or light\$7 or weightless)) and (probes (monitor\$7 or collect\$7 or retriev\$7 or obtain\$7 or get\$7 or poll\$7) with (level or layer)) and xml not (IBM or "International Business Machines").as.	US-PGPUB; USPAT	OR	ON	2004/11/27 14:01

S80	1	(709/223,224.ccls.) and @py<"2000" and probe and (server with cluster\$3)	US-PGPUB; USPAT	OR	ON	2004/11/27 14:01
S81	942	(709/223,224.ccls.) and @ay<"2000" and (network adj manage\$7) or (network adj monitor\$7) and ((numerous or plurality or many or multitude or "number of") with ("probes") with (small or light\$7 or weightless)) and (probes (monitor\$7 or collect\$7 or retriev\$7 or poll\$7) with (level or layer)) and xml not (IBM or "International Business Machines").as.	US-PGPUB; USPAT	OR	ON	2004/11/27 14:02
S82	942	(709/223,224.ccls.) and @ay<"2000" and (network adj manage\$7) or (network adj monitor\$7) and ((numerous or plurality or many or multitude or "number of") with ("probes") with (small or light\$7 or weightless)) and (probes with (monitor\$7 or collect\$7 or retriev\$7 or poll\$7) with (level or layer)) and xml not (IBM or "International Business Machines").as.	US-PGPUB; USPAT	OR	ON	2004/11/27 14:03
S83	0	(709/223,224.ccls.) and @ay<"2000" and ((network adj manage\$7) or (network adj monitor\$7)) and ((numerous or plurality or many or multitude or "number of") with ("probes") with (small or light\$7 or weightless)) and (probes with (monitor\$7 or collect\$7 or retriev\$7 or poll\$7) with (level or layer)) and xml not (IBM or "International Business Machines").as.	US-PGPUB; USPAT	OR	ON	2004/11/27 14:04
S84	0	(709/223,224.ccls.) and @ay<"2000" and ((network adj manage\$7) or (network adj monitor\$7)) and ((numerous or plurality or many or multitude or "number of") with ("probes") with (small or light\$7 or weightless)) and (probes with (monitor\$7 or collect\$7 or retriev\$7 or poll\$7) with (level or layer)) not (IBM or "International Business Machines").as.	US-PGPUB; USPAT	OR	ON	2004/11/27 14:07

S85	0	(709/223,224.ccls.) and @ay<"2000" and ((network adj manage\$7) or (network adj monitor\$7)) and ((numerous or plurality or multitude or "number of") with ("probes") with (small or light\$7 or weightless)) and (probes with (monitor\$7 or collect\$7 or retriev\$7 or poll\$7) with (level or layer)) not (IBM or "International Business Machines").as.	US-PGPUB; USPAT	OR	ON	2004/11/27 14:07
S86	0	(709/223,224.ccls.) and @ay<"2000" and ((network adj manage\$7) or (network adj monitor\$7)) and ((numerous or plurality or multitude or "number of") with ("probes") with (light\$7 or weightless)) and (probes with (monitor\$7 or collect\$7 or retriev\$7 or poll\$7) with (level or layer)) not (IBM or "International Business Machines").as.	US-PGPUB; USPAT	OR	ON	2004/11/27 14:11
S87	0	(709/223,224.ccls.) and @ay<"2000" and ((network adj manage\$7) or (network adj monitor\$7)) and ((numerous or plurality or multitude or "number of") with ("probes") with (light\$7 or weightless)) not (IBM or "International Business Machines").as.	US-PGPUB; USPAT	OR	ON	2004/11/27 14:12
S88	16	(709/223,224.ccls.) and @ay<"2000" and ((network adj manage\$7) or (network adj monitor\$7)) and ((numerous or plurality or multitude or "number of") with ("probes")) not (IBM or "International Business Machines").as.	US-PGPUB; USPAT	OR	ON	2004/11/27 15:52
S89	3	(709/223,224.ccls.) and @ay<"2000" and ((network adj manage\$7) or (network adj monitor\$7)) and ((numerous or plurality or multitude or "number of") with ("probes")) and (probes with (monitor\$7 or collect\$7 or retriev\$7 or poll\$7) with (level or layer)) not (IBM or "International Business Machines").as.	US-PGPUB; USPAT	OR	ON	2004/11/27 14:12

S90	290	(709/223,224.ccls.) and @ay<"2000" and ((network adj manage\$7) or (network adj monitor\$7)) and (GUI or ((topo\$9 or hierarch\$7) with (view\$5 or display\$5))) not (IBM or "International Business Machines").as.	US-PGPUB; USPAT	OR	ON	2004/11/27 15:53
S91	128	(709/223,224.ccls.) and @ay<"2000" and ((network adj manage\$7) or (network adj monitor\$7)) and (GUI or ((topo\$9 or hierarch\$7) with (view\$5 or display\$5))) and ((display\$5 or view\$5) with (level or layer)) not (IBM or "International Business Machines").as.	US-PGPUB; USPAT	OR	ON	2004/11/27 15:55
S92	1	(709/223,224.ccls.) and @ay<"2000" and ((network adj manage\$7) or (network adj monitor\$7)) and (GUI or ((topo\$9 or hierarch\$7) with (view\$5 or display\$5))) and ((display\$5 or view\$5) with (level or layer) with (hardware and network)) not (IBM or "International Business Machines").as.	US-PGPUB; USPAT	OR	ON	2005/08/08 04:29